

Ref. No.: AARTI/VAPI/ENV/NAS/2025-2026/031

Date :22.01.2026

XGN ID : 396883

To,
The Unit Head,
Hazardous Waste Cell,
Gujarat Pollution Control Board,
Sector 10-A, Paryavaran Bhavan,
Gandhinagar - 382010

Subject : Annual Submission of Bio-Medical Waste Return-January 2025 to December-2025


Respected Sir,

With reference to the Rule 13 of Bio-Medical Waste Management Rules, 2016, we are hereby submitting the Bio medical waste Annual Report for the year 2025 (January-2025 to December-2025).

Thanking you,

Yours Faithfully,

For Aarti Industries Limited (Nascent Division)


Authorized Signatory
Encl- As Stated Above
Copy to

1. Unit Head-Vapi, Gujarat Pollution Control Board, Gandhinagar.
2. Regional Officer, Gujarat Pollution Control Board, Vapi.


23/1/26
Gujarat Pollution Control Board
Head Office
Sector No.-10-A,
Gandhinagar-382010

Form -IV
(See Rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year , by the occupier of health care facility (HFC) or common bio-medical waste treatment facility (CBWTF)

Sl. No.	Particulars		
1	Particulars of the occupier	:	-
	(i) Name of the authorized person (occupier or : operator of facility)	:	Mr. Pareshkumar B. Naik
	(ii) Name of HCF or CBMWTF	:	Nascent Chemical Industries Ltd (Occupational Health Centre)
	(iii) Address for Correspondence	:	Plot no. 24, 1st Phase, GIDC - Vapi, Dist : Valsad, , Vapi-396195, Dist: Valsad, Tal: Pardi
	(iv) Address of Facility	:	En - Cler Biomedical Waste Pvt Ltd at Plot no. 310/2, Phase - II, GIDC Vapi , Vapi Tal : Pardi, Dist : Valsad
	(v) Tel. No, Fax No.	:	+91 9727782165
	(vi) E-mail ID	:	env.nascent@aarti-industries.com
	(vii) URL of Website	:	http://www.aarti-industries.com/
	(viii) GPS coordinates of HCF or CBMWTF	:	Lat: 20.3556, Long: 72.9148
	(ix) Ownership of HCF or CBMWTF	:	Private
(x) status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	BMW-357015, Valid up to: 31/12/2075	
2	Type of Health Care Facility		
	(i) Bedded Hospital		0

(ii) Non-bedded hospital (Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	Other- OTH
(iii) Licence number and its date of expiry	BMW-357015, Valid up to: 31/12/2075

Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	
4	Yellow Category : 0.4
4	Red Category : 0.33
4	White Category : 0.10
4	Blue Category : 0
5	Details of the storage, Treatment, Transportation, Processing and Disposal Facility
	(i) Details of the on-site storage facility : On site Storage facility is available as per the bio medical waste management rules - 2016
	(ii) treatment Facilities : CHM - Chemical Disinfection (Chemical treatment), SHR - Shredding , STZ - Sterilization
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum : 0
	(iv) No. of Vehicles used for collection and transportation of biomedical waste : 1
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of waste in Kg per annum. : 0
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which waste are disposed : En - Cler Bio medical waste Pvt ltd
	(vii) List of member HCF not handed over bio-medical waste. : 0
6	Do you have a bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period : NO
7	Details training conducted on BMW
	(i) Number of training conducted on BMW Management : 02
	(ii) Number of personnel trained : 04
	(iii) Number of personnel trained at the time of induction : 20

	(iv) Number of personnel not undergone any training so far	:	0
	(v) Whether a standard manual for training is available?	:	Yes
	(VI) Any other Information	:	No
8	Details of the accident occurred during the year		
	(i) Number of Accident occurred		0
	(ii) Number of person affected		0
	(iii) Remedial Action taken (Please attach detail if any)		0
	(iv) Any Facility occurred, details		0
9	Are you meeting the standard of air pollution from the incinerator? How many times last year could not meet the standard?		NA
	Details of Continuous online emission monitoring systems installed		NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		0
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		No
12	Any other relevant information		No

Certified that the above report is for a period from 1 January,2025 to 31 December ,2025.

Authorized Signatory

Date:22/01/2026

Place:-Vapi